



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/686,553	10/14/2003	Patrick Jay Walsh	8285-646	3477

757 7590 11/15/2004

BRINKS HOFER GILSON & LIONE
P.O. BOX 10395
CHICAGO, IL 60610

EXAMINER

NGUYEN, DAVID Q

ART UNIT	PAPER NUMBER
----------	--------------

2681

DATE MAILED: 11/15/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/686,553	Applicant(s) WALSH, PATRICK JAY	
	Examiner David Q Nguyen	Art Unit 2681	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 October 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 1-5, 13-15, and 19-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Johansson et al. (US 6,442,391).

Regarding claims 1 and 19, Johansson et al. discloses a method for providing privacy management for a wireless communication device, the method comprising the steps of: establishing rules of communication between the wireless communication device and a remote source (see col. 2, lines 37-44); and managing communications between the wireless communication device and the remote source so that **at least one of the following acts** occurs responsive to the step of establishing the rules of communication: (a) allowing the remote source to know one but not both of an identity and a location of the wireless communication device and (b) prohibiting the location of the wireless communication device from being known to the remote source (see col. 6, lines 7-21).

Regarding claims 2 and 13, Johansson et al. also discloses wherein the step of managing further comprising:

receiving a request for location information associated with the wireless communication device from the remote source (see step B1 in Fig. 5); determining whether or not the wireless communication device approves of the remote source responsive to the step of receiving the

Art Unit: 2681

request (see steps C2-C5 in fig. 5); sending the location information to the remote source responsive to determining that the wireless communication device approves of the remote source (see step C6-C8 in Fig. 5); and rejecting the request from the remote source responsive to determining that the wireless communication device does not approve of the remote source (see step C9 in fig. 5).

Regarding claim 5, Johansson et al. also discloses wherein each of the steps in claim 2 are performed by a wireless communication device (see col. 11, lines 42-67).

Regarding claims 3 and 14, Johansson et al. also discloses wherein the remote source is a location privacy manager (for instance, a firm of haulage contractor-see col. 7, lines 31-744), wherein the wireless communication device approves of the location privacy manager when the wireless communication device is registered to operate with the location privacy manager, and wherein the wireless communication device does not approve of the location privacy manager when the wireless communication device is not registered to operate with the location privacy manager (see step C2 in fig. 5).

Regarding claims 4 and 15, Johansson et al. also discloses wherein the remote source is a location-enabled service (for instance, a service provider-see col. 9, lines 21-27), wherein the wireless communication device approves of the location-enabled service when the wireless communication device accepts an identity of the location-enabled service, and wherein the wireless communication device does not approve of the location-enabled service when the wireless communication device does not accept the identity of the location-enabled service (see col. 9, line 28 through col. 10 line, also see steps E3-E4 in fig. 6).

Regarding claim 20, Johansson et al. discloses a wireless communication device comprising: an antenna for communicating radio frequency signals over a radio frequency communication channel between the wireless communication device and a remote source (A2 in fig. 1); a receiver, coupled to the antenna, for receiving the radio frequency signals from the remote source (inherent in GSM mobile communication system); a transmitter, coupled to the antenna, for transmitting the radio frequency signals to the remote source (inherent in GSM mobile communication system); a memory device, coupled to the controller, for storing rules of communication between the wireless communication device and remote source, and for storing an identity (MSISDN is inherent in GSM mobile station) and a location of the wireless communication device (see col. 12, lines 17-23, wherein the MS collects location data); a controller, coupled to the receiver and the transmitter, for managing communications between the wireless communication device and the remote source so that at least one of the following acts occurs responsive to the rules of communication: (a) allowing the remote source to know one but not both of the identity and the location of the wireless communication device and (b) prohibiting the location of the wireless communication device from being known to the remote source (see col. 11, lines 51-67); a user interface, coupled to the controller, for communicating user interface signals between a user of the wireless communication device and the controller. Johansson states: "The user sets the indicator I to indicate either that permission to locate the mobile station MS is granted or is not granted, via the standard user interface." (see col. 11 lines 52-55).

Regarding claim 21, Johansson et al. discloses a wireless communication network comprising: an antenna for communicating radio frequency signals over a radio frequency

Art Unit: 2681

communication channel between the wireless communication network and a wireless communication device (fig. 1); a receiver, coupled to the antenna, for receiving the radio frequency signals from the wireless communication device (inherent in GSM mobile communication system); a transmitter, coupled to the antenna, for transmitting the radio frequency signals to the wireless communication device (inherent in GSM mobile communication system); a communication switch, coupled to the transmitter and the receiver, for routing information communicated over radio frequency communication channel (inherent in GSM mobile communication system; MSC in fig. 1); a memory device for storing rules of communication between the wireless communication device and a remote source (fig. 1; HLR and VLR; see col. 8, lines 4-22); a location privacy manager interface, coupled to the remote source, for communicating signals between the wireless communication network and the remote source (see fig. 1; MPC and A2); and a controller, coupled to the communication switch, the memory device and the location privacy manager interface, for managing communications between the wireless communication device and the remote source so that at least one of the following acts occurs responsive to the rules of communication: (a) allowing the remote source to know one but not both of an identity and a location of the wireless communication device and (b) prohibiting the location of the wireless communication device from being known to the remote source (fig. 1 and col. 5, line 40 to col. 7, line 45).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

2. Claims 6-12,16-18 and 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kingdon et al. (US 6,138,003) in view of Johansson et al. (US 6,442,391).

Regarding claims 6,16,23 and 25, Kingdon discloses a method for providing privacy management for a wireless communication device, the method comprising the steps of:

establishing rules of communication between the wireless communication device and a remote source (280 in fig. 2); and managing communications between the wireless communication device and the remote source so that **at least one of the following acts** occurs responsive to the step of establishing the rules of communication: (a) allowing the remote source to know one but not both of an identity and a location of the wireless communication device and (b) prohibiting the location of the wireless communication device from being known to the remote source (see col. 4, line 54 through col. 5, line 47);

wherein the rules of communication device shall only communicate with the remote source having an acceptable identity (step 310 in fig. 3); and

wherein the step of managing further comprises:

Art Unit: 2681

receiving a request for location information associated with the wireless communication device from the remote source responsive to the remote source being pushed to the wireless communication device by the remote source (see col. 6, lines 10-15);

determining whether or not the wireless communication device approves of the remote source responsive to the step of receiving the request (see step 310 in fig. 3);

sending a request for the location information to the BTS 9220) currently serving the wireless communication device responsive to determining that the identity of the remote source is acceptable to the wireless communication device (see step 398 in fig. 3 and steps 510-520 in fig. 5, see col. 6, lines 48-67); receiving the location information from the wireless communication device responsive to the step of sending the request (see step 525 in fig. 5, see col. 6, lines 65-67); sending the location information to the remote source responsive to the step of receiving the location information (see step 580 in fig. 5); and rejecting the request from the remote source responsive to the step of determining that the wireless communication device does not approve of the remote source (see step 320 in fig. 3).

However, Kingdon fails to recite that the request for location information is sent directly to the wireless communication device and receiving the location information directly from the wireless communication device. Instead, Kingdon discloses using timing advance values and a triangulation algorithm (see col. 7, lines 31-39).

In an analogous art, Johansson discloses sending a location request to and receiving location information from a wireless communication device. The wireless communication device determines its location via GPS (see col. 1 lines 24-35 and col. 12 lines 17-23).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to equip the wireless communication device of Kingdon with a GPS terminal, as taught by Johansson, instead of using timing advance values. One of ordinary skill in the art would have been motivated to make this modification because including a GPS terminal would enhance the capabilities of the wireless communication device.

Regarding claims 7 and 17, the method of Kingdon in view of Johansson et al. also discloses wherein the remote source is a location privacy manager (for instance, a firm of haulage contractor-see col. 7, lines 31-744 of Johansson et al), wherein the wireless communication device approves of the location privacy manager when the wireless communication device is registered to operate with the location privacy manager, and wherein the wireless communication device does not approve of the location privacy manager when the wireless communication device is not registered to operate with the location privacy manager (see step C2 in fig. 5 Johansson et al).

Regarding claims 8 and 18, the method of Kingdon in view of Johansson et al. also discloses wherein the remote source is a location-enabled service (for instance, a service provider-see col. 9, lines 21-27 Johansson et al), wherein the wireless communication device approves of the location-enabled service when the wireless communication device accepts an identity of the location-enabled service, and wherein the wireless communication device does not approve of the location-enabled service when the wireless communication device does not accept the identity of the location-enabled service (see col. 9, line 28 through col. 10 line, also see steps E3-E4 in fig. 6 Johansson et al).

Art Unit: 2681

Regarding claims 9 and 24, the method of Kingdon in view of Johansson et al. also discloses the steps in claim 7 are performed by at least one of a wireless communication network and a location privacy manager (MPC 270 in fig. 2 of Kingdon)

Regarding claim 10, the method of Kingdon in view of Johansson et al. also discloses wherein each of the steps in claim 2 are performed by a wireless communication device (see col. 11, lines 42-67 Johansson et al.)

Regarding claim 11, the method of Kingdon in view of Johansson et al. also discloses the steps of establishing and managing are performed by a wireless communication network (fig. 2 of Kingdon).

Regarding claim 12, the method of Kingdon in view of Johansson et al. also discloses the steps of establishing and managing are performed by a location privacy manager (fig. 2 of Kingdon).

Regarding claim 22, Kingdon discloses a location privacy manager comprising: a wireless communication network interface for communicating signals between the location privacy manager (270 in fig. 2) and a wireless communication network (see fig. 2); a remote source (fig. 2; 280) interface for communicating signals between the location privacy manager and a remote source; a memory device (275 in fig. 2) for storing rules of communication between a wireless communication device and a remote source (see col. 4, lines 54-67); and a controller, coupled to the wireless communication network interface, the remote source interface, and the memory device, for managing communications between the wireless communication device and the remote source so that at least one of the following acts occurs responsive to the rules of communication: (a) allowing the remote source to know one but not both of an identity

Art Unit: 2681

and a location of a wireless communication device, communicating with the wireless communication network, and (b) prohibiting the location of the wireless communication device from being known to the remote source (see col. 4, line 54 through col. 5, line 47 and fig. 2).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Q Nguyen whose telephone number is 703-605-4254. The examiner can normally be reached on 8:30AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Hudspeth can be reached on 703-308-4825. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DN

David Nguyen



DAVID HUDSPETH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600